









Material
Insulator: LCP UL94 V-0
Signal-Contact: Copper Alloy
Board-Lock: Copper Alloy
Contact Surface
Performance Level 1 (min. 500 mating cycles)

Technische Änderungen vorbehalten / *all data subject to amendment without notice*


Werkstoff / Material:				Allgemeintoleranz / General tolerances				Maßstab / Scale: 6:1					
				Tolerierungsgrundsatz / Fundamental tolerancing principle DIN ISO 8015		A2		Verwendungsbereich / Range of application customer drawing					
					Datum / Date	Name / Name		Benennung / Description					
				Erst/Drawn	13.07.2021	A. Osterried		One27 Federleiste high-profile One27 female connector high-profile 12-80 polig /12-80 pin; H=13,65 mm					
03	revision	12.07.2022	C. Höfle	Gepr./Insp.									
02	revision	24.11.2021	A. Oster										
01	revision	10.09.2021	A. Oster										
00	first edition	13.07.2021	A. Oster										
Version/ Version		Änderung / Revision		Datum / Date		Name / Name		 ept GmbH www.ept.de		Zeichnungsnummer / Drawing number		Art / Type	Blatt / Sheet
										404-54XXX-51		C	1 / 3
										Status / Status			



Packaging is defined in DIN EN 60286-3:2014-02 and EIA-481-E:2015-01
Parts per reel: 170




Technische Änderungen vorbehalten / *all data subject to amendment without notice*

Werkstoff / Material:				Allgemeintoleranz / General tolerances			Maßstab / Scale: 6:1		
				Tolerierungsgrundsatz / Fundamental tolerancing principle DIN ISO 8015				A2	
					Datum / Date	Name / Name		Benennung / Description	
				Erst./Drawn	13.07.2021	A. Osterried		One27 Federleiste high-profile One27 female connector high-profile 12-80 polig /12-80 pin; H=13,65 mm	
03	revision	12.07.2022	C. Höfle	Gepr./Insp.					
02	revision	24.11.2021	A. Oster						
01	revision	10.09.2021	A. Oster						
00	first edition	13.07.2021	A. Oster						
Version/ Version	Änderung / Revision	Datum / Date	Name / Name	ept ept GmbH www.ept.de		Zeichnungsnummer / Drawing number		Art / Type	Blatt / Sheet
						404-54XXX-51		C	2 / 3
								Status / Status	

© The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

© Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadensersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Geschmacksmustererlangung vorbehalten.



Technische Änderungen vorbehalten / *all data subject to amendment without notice*

Werkstoff / Material:				Allgemeintoleranz / General tolerances			Maßstab / Scale: 5:1				
				Tolerierungsgrundsatz / Fundamental tolerancing principle DIN ISO 8015			A2				
						Verwendungsbereich / Range of application customer drawing					
					Datum / Date	Name / Name		Benennung / Description			
				Erst./Drawn	13.07.2021	A. Osterried		One27 Federleiste high-profile			
03	revision	12.07.2022	C. Höfle	Gepr./Insp.				One27 female connector high-profile			
02	revision	24.11.2021	A. Oster				12-80 polig /12-80 pin; H=13,65 mm				
01	revision	10.09.2021	A. Oster								
00	first edition	13.07.2021	A. Oster			ept GmbH www.ept.de		Zeichnungsnummer / Drawing number		Art / Type	Blatt / Sheet 3 / 3 Status / Status
Version/ Version		Änderung / Revision						Datum / Date			